




## 2018 Air Quality Annual Status Report (ASR)

In fulfilment of Part IV of the  
Environment Act 1995  
Local Air Quality Management

May, 2018

Local Authority Officer	Stuart Athol
Department	Environmental Health Services
Address	Harlow Council Civic Centre The Water Gardens Harlow CM20 1WG
Telephone	01279 446104
E-mail	<a href="mailto:stuart.athol@harlow.gov.uk">stuart.athol@harlow.gov.uk</a>
Report Reference number	HAR/ASR2018
Date	1 <sup>st</sup> May 2018
Written by	Tim Savage
Scientific Team Public Health & Protection Services Chelmsford City Council Duke Street Chelmsford Essex CM1 1JE	 <b>Chelmsford</b> City Council

## Executive Summary: Air Quality in Our Area

The 2018 Annual Status Report is designed to provide the public with information relating to local air quality in Harlow, to fulfil Harlow Council's statutory duty to review and assess air quality within its area, and to determine whether or not the air quality objectives are likely to be achieved.

Harlow Council has measured **no** exceedances of the Air Quality Objectives.

## Air Quality in Harlow

Air pollution is associated with a number of adverse health impacts. It is recognised as a contributing factor in the onset of heart disease and cancer. Additionally, air pollution particularly affects the most vulnerable in society: children and older people, and those with heart and lung conditions. There is also often a strong correlation with equalities issues, because areas with poor air quality are also often the less affluent areas<sup>1,2</sup>.

The annual health cost to society of the impacts of particulate matter alone in the UK is estimated to be around £16 billion<sup>3</sup>.

Traffic emissions are the most significant source of air pollution in Harlow. The main roads in the District are the M11 and the A414. In addition, there a number of industrial processes. The majority of these are located in the two main industrial areas of the town: Templefields (to the North) and the Pinnacles (to the North West).

The Council recognises the importance of working with partnering Authorities such as with Essex County Council to make improvements to local transport infrastructure and also to fulfil its own regulatory responsibility towards industrial processes.

Air pollution is considered to be generally low in Harlow and monitoring of local Air Quality has measured no exceedances of air quality objective at relevant exposure. The trend of results across all monitored sites indicates that Air Quality is improving. A graph can be found in Appendix A that shows monitoring results from 2012 to 2017.

---

<sup>1</sup> Environmental equity, air quality, socioeconomic status and respiratory health, 2010

<sup>2</sup> Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006

<sup>3</sup> Defra. Abatement cost guidance for valuing changes in air quality, May 2013

## Actions to Improve Air Quality

Air quality in Harlow meets the Air Quality Objectives. However, significant development around the Harlow means that investment in the towns infrastructure is required to manage congestion, maintain good air quality and support future local economic growth.

As part of a £15 million investment in the Harlow road network, Essex County Council has developed a series of improvements and funding has been secured.

Main [works](#) include:

- Dual carriageway for Edinburgh Way between Cambridge Road and River Way Roundabouts.
- Upgrade of the A414 Cambridge Road Roundabout.
- Improve traffic signals at the East Road junction with Edinburgh Way, maintaining a crossing point on the A414 for pedestrians and cyclists.

The work is due to be completed in 2019.

## Local Engagement and How to get Involved

Harlow Council is a member of the Essex Air Quality consortium. The Essex Air [web site](#) provides a daily forecast of air pollution which is based off [UK-AIR](#) data feeds. Also, the [@EssexAir](#) twitter feed provides localised weekly air pollution forecasts.

**Figure i.1 Essex Air Twitter Air Quality Notifications**



Links to Defra recommended actions and health advice are provided when air pollution is likely to be moderate or higher. This will enable those with heart or lung conditions, or other breathing problems to make informed judgements about their levels of activity or exposure.

The Essex Air twitter also promotes the [DVSA service](#) for reporting smoky lorries or buses. Particulate matter is usually not visible but when poorly maintained diesel engines can produce visible particles, appearing as smoke. Fine particles have an adverse effect on human health, particularly among those with respiratory and cardiovascular problem.

**Figure i.2 - Essex Air Reporting Smoky Vehicle Tweets**



Essex County Council has worked closely with [Liftshare](#) to develop the Essex Car Share scheme. This operates across Chelmsford and provides commuters with a car sharing service which could cut congestion and air pollution whilst saving money.

# Table of Contents

<b>Executive Summary: Air Quality in Our Area</b>	<b>i</b>
Air Quality in Harlow	i
Actions to Improve Air Quality	ii
Local Engagement and How to get Involved	ii
<b>1 Local Air Quality Management</b>	<b>1</b>
<b>2 Actions to Improve Air Quality</b>	<b>2</b>
2.1 Air Quality Management Areas	2
2.2 Progress and Impact of Measures to address Air Quality in Harlow	2
2.3 PM <sub>2.5</sub> – Local Authority Approach to Reducing Emissions and/or Concentrations	5
<b>3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance</b>	<b>6</b>
3.1 Summary of Monitoring Undertaken	6
3.1.1 Non-Automatic Monitoring Sites	6
3.2 Individual Pollutants	6
3.2.1 Nitrogen Dioxide (NO <sub>2</sub> )	6
<b>Appendix A: Monitoring Results</b>	<b>7</b>
<b>Appendix B: Full Monthly Diffusion Tube Results for 2017</b>	<b>10</b>
<b>Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC</b>	<b>11</b>
<b>Appendix D: Map(s) of Monitoring Locations and AQMAs</b>	<b>13</b>
<b>Appendix E: Summary of Air Quality Objectives in England</b>	<b>14</b>
<b>Glossary of Terms</b>	<b>15</b>
<b>References</b>	<b>16</b>

## List of Tables

Table 2.1 – Progress on Measures to Improve Air Quality .....	4
Table A.1 – Details of Non-Automatic Monitoring Sites .....	7
Table A.2 – Annual Mean NO <sub>2</sub> Monitoring Results .....	8
Table B.1 – NO <sub>2</sub> Monthly Diffusion Tube Results – 2017 .....	10
Table C.1 – AIR PT Results 2017 .....	11
Table E.1 – Air Quality Objectives in England .....	14

## List of Figures

Figure i.1 - Essex Air Twitter Air Quality Notifications.....	i
Figure i.2 - Essex Air Reporting Smoky Vehicle Tweets.....	ii
Figure A.1 – Trends in Annual Mean NO <sub>2</sub> Concentrations.....	9
Figure D.1 – Diffusion Tube Monitoring Locations in Harlow .....	13

## 1 Local Air Quality Management

This report provides an overview of air quality in Harlow during 2017. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995) and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by Harlow Council to improve air quality and any progress that has been made.

The statutory air quality objectives applicable to LAQM in England can be found in Table E.2 in Appendix E.

## 2 Actions to Improve Air Quality

### 2.1 Air Quality Management Areas

Harlow Council currently does not have any Air Quality Management Areas (AQMAs).

### 2.2 Progress and Impact of Measures to address Air Quality in Harlow

Defra's appraisal of last year's ASR commented that the proposed new motorway junction 7a on the M11 and the new housing development at Gilston has the potential to affect traffic access into and around Harlow and that appropriate assessments for air quality impacts should be carried out. The air quality sections of the Environmental Impact Assessments (EIA) are summarised below:

#### New Motorway Junction 7a M11

The Environmental Statement submitted as part of planning application [CC/EPF/08/17](#) included an air quality impact assessment to determine the air pollution impact of the preferred option. The following impacts have been identified:

- NO<sub>x</sub> deposition at designated sites. N-deposition could decrease (i.e. an improvement) by more than 1% of the lower threshold of the critical load (10-15kg N ha<sup>-1</sup> yr<sup>-1</sup> for neutral grassland) at the edge of the Sawbridgeworth Marsh SSI. Assessment identified that the effect of the proposed scheme on air quality at the Epping Forest SSSI was predicted to be not significant. No changes in N-deposition identified for the three closest Natura 2000 sites.
- Receptors within 20m of the construction boundary could be susceptible to impact from dust. Dust Management Plans and Construction Environmental Management Plans will be required to be submitted and adhered to during construction.
- Air quality during the opening year of the proposed scheme would be unlikely to represent an overall significant effect.
- The overall direction of change year on year would be negative (i.e. an air quality improvement)

The planning application has been formally approved.

### Gilston Garden Town Development

The Environmental Statement submitted as part of the outline planning application for the proposed Gilston Garden Town development in the district of East Hertfordshire included an air quality impact assessment to determine the air pollution impact. According to the EPUK significance criteria, the impact of the proposed development on annual mean NO<sub>2</sub> and PM<sub>10</sub> concentrations is considered to be negligible at all existing receptor locations.

However, the following mitigation measures have been identified:

#### **Construction Phase**

- The requirement for dust management measures during the construction phase
- Planned access and haulage routes for site traffic to avoid sensitive roads (residential roads, congested roads, via unsuitable junctions)
- Planned timings for large-scale construction vehicle movements to avoid peak hours on the local road network

#### **Operational Phase**

- A 3m wide cycle path will be provided from the site into Harlow to link up with existing cycle paths
- Provision of pedestrian links from the site into the centre of Harlow.
- Junction improvements on the A138 to improve traffic flows.

Details of Harlow Council's air quality measures that are in planned or in progress are set out in Table 2.1 below.

Table 2.1 – Progress on Measures to Improve Air Quality

Measure No.	Measure	EU Category	EU Classification	Organisations involved and Funding Source	Planning Phase	Implementation Phase	Key Performance Indicator	Reduction in Pollutant / Emission from Measure	Progress to Date	Estimated / Actual Completion Date	Comments / Barriers to implementation
1	Essex Liftshare	Alternatives to private vehicle use	Car & lift sharing schemes	Essex County Council	N/A	2014	Number of Users	No AQMA	Ongoing	N/A	
2	Travel Budi	Alternatives to private vehicle use	Car & lift sharing schemes	Harlow Council	N/A	2007	Number of Users	No AQMA	Ongoing	N/A	
3	Member of Essex Air	Policy Guidance and Development Control	Regional Groups Co-ordinating programmes to develop Area wide Strategies to reduce emissions and improve air quality	Essex Air	N/A	N/A	N/A	No AQMA	Ongoing	N/A	
4	Environmental Permit Inspection & Enforcement	Environmental Permits	Measures to reduce pollution through IPPC Permits going beyond BAT	Harlow Council	N/A	N/A	Operator compliance with Environmental Permit	No AQMA	Ongoing	N/A	
5	M11 J7a and associated Improvements	Traffic Management	Strategic highway improvements, Re-prioritising road space away from cars, including Access management, Selective vehicle priority, bus priority, high vehicle occupancy lane	Essex County Council / South East Local Enterprise Partnership	2016	2021	Monitored Air Quality	No AQMA	Consultation Completed / Preferred Route Approved	2021	
6	A414 Edinburgh Way / Cambridge Road junction improvement scheme	Traffic Management	Strategic highway improvements, Re-prioritising road space away from cars, including Access management, Selective vehicle priority, bus priority, high vehicle occupancy lane	Essex County Council	2016	2019	Monitored Air Quality	No AQMA	Scheme Development / Utility Diversions / In Construction Phase	2019	Road investment and congestion management programme for Harlow

## 2.3 PM<sub>2.5</sub> – Local Authority Approach to Reducing Emissions and/or Concentrations

As detailed in Policy Guidance LAQM.PG16 (Chapter 7), local authorities are expected to work towards reducing emissions and/or concentrations of PM<sub>2.5</sub> (particulate matter with an aerodynamic diameter of 2.5µm or less). There is clear evidence that PM<sub>2.5</sub> has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

Harlow Council does not monitor PM<sub>2.5</sub> concentrations however notes the Public Health Outcomes Framework indicator 3.01 – Fraction of mortality attributable to particulate (PM<sub>2.5</sub>) air pollution which for 2015 gave a value of 5.5% which has improved from 5.8% in 2013. These values are broadly similar to other authorities within the region.

Harlow Council is taking the following measures to address PM<sub>2.5</sub>:

- Regular inspections of permitted industry where combustion and non-combustion processes could lead to anthropogenic emissions of PM<sub>2.5</sub>
- Working with Essex County Council (highway authority) to deliver Major Transport improvement [schemes](#) to alleviate congestion. In addition to reduced exhaust emissions, these schemes will reduce non-exhaust emissions from brake and tyre wear by making traffic flows smoother.

## 3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance

### 3.1 Summary of Monitoring Undertaken

This section sets out what monitoring has taken place and how it compares with objectives.

#### 3.1.1 Non-Automatic Monitoring Sites

Harlow Council undertook non-automatic (passive) monitoring of NO<sub>2</sub> at 9 sites during 2017. Table A.1 in Appendix A shows the details of the sites.

No exceedances have been identified and the long-term trend for monitored concentrations is downwards. Details of this can be found in Figure A.1 in Appendix A which compares the bias adjusted monitored NO<sub>2</sub> annual mean concentrations for 2012 to 2017 with the air quality objective of 40µg/m<sup>3</sup>.

Details of the Quality Assurance/Quality Control (QA/QC) for the diffusion tube monitoring is included in Appendix C. Monitoring locations have been distance corrected for relevant exposure and the results are in Appendix B.

Maps showing the location of the monitoring sites are provided in Appendix D.

### 3.2 Individual Pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for bias, “annualisation”. Further details on adjustments are provided in Appendix C.

#### 3.2.1 Nitrogen Dioxide (NO<sub>2</sub>)

Table A.2 in Appendix A compares the ratified and bias adjusted monitored NO<sub>2</sub> annual mean concentrations for the past 5 years with the air quality objective of 40µg/m<sup>3</sup>.

For diffusion tubes, the full 2017 dataset of monthly mean values is provided in Appendix B.

Harlow Council has measured **no** exceedances of the Air Quality Objectives.

## Appendix A: Monitoring Results

**Table A.1 – Details of Non-Automatic Monitoring Sites**

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Distance to Relevant Exposure (m) <sup>(1)</sup>	Distance to kerb of nearest road (m) <sup>(2)</sup>	Tube collocated with a Continuous Analyser?	Height (m)
HAR8	East Park	Suburban	546942	211186	NO2	No	34.20	11.00	23.20	NO
HAR9	Gardiners	Urban Background	546888	209435	NO2	No	8.80	7.60	1.20	NO
HAR10	Dadds Wood	Urban Background	544434	209709	NO2	No	45.90	12.50	33.40	NO
HAR11	Town Centre	Kerbside	544680	210016	NO2	No	19.50	13.20	6.30	NO
HAR13	Guilfords	Suburban	547524	212479	NO2	No	15.20	14.20	1.00	NO
HAR15	Gilden Way	Roadside	548658	212004	NO2	No	15.50	14.00	1.50	NO
HAR16	Chalk Lane	Rural	549466	211598	NO2	No	20.75	20.00	0.75	NO
HAR17	Rivermill	Kerbside	544297	210988	NO2	No	4.70	0.00	4.70	NO
HAR18	Station Approach	Urban Background	544640	211192	NO2	No	8.01	8.00	0.01	NO

**Notes:**

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on/adjacent to the façade of a residential property).

(2) N/A if not applicable.

Table A.2 – Annual Mean NO<sub>2</sub> Monitoring Results

Site ID	Site Type	Monitoring Type	Valid Data Capture for Monitoring Period (%) <sup>(1)</sup>	Valid Data Capture 2017 (%) <sup>(2)</sup>	NO <sub>2</sub> Annual Mean Concentration (µg/m <sup>3</sup> ) <sup>(3)</sup>				
					2013	2014	2015	2016	2017
HAR8	Suburban	Diffusion Tube	92	92	27.66	28.24	27.55	24.95	25.17
HAR9	Urban Background	Diffusion Tube	100	100	28.28	29.76	28.68	27.93	29.99
HAR10	Urban Background	Diffusion Tube	92	92	29.78	29.09	24.83	26.19	27.50
HAR11	Kerbside	Diffusion Tube	100	100	33.02	33.56	31.04	29.75	29.82
HAR13	Suburban	Diffusion Tube	92	92		20.79	17.45	16.72	16.58
HAR15	Roadside	Diffusion Tube	100	100			21.59	25.37	26.08
HAR16	Rural	Diffusion Tube	92	92			18.09	20.36	18.89
HAR17	Kerbside	Diffusion Tube	100	100				21.91	25.99
HAR18	Urban Background	Diffusion Tube	92	92					30.77

☒ Diffusion tube data has been bias corrected

**Notes:**

Exceedances of the NO<sub>2</sub> annual mean objective of 40µg/m<sup>3</sup> are shown in **bold**.


NO<sub>2</sub> annual means exceeding 60µg/m<sup>3</sup>, indicating a potential exceedance of the NO<sub>2</sub> 1-hour mean objective are shown in **bold and underlined**.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

(3) Means for diffusion tubes have been corrected for bias. See Appendix C for details.

Figure A.2 – Trends in Annual Mean NO<sub>2</sub> Concentrations



## Appendix B: Full Monthly Diffusion Tube Results for 2017

Table B.2 – NO<sub>2</sub> Monthly Diffusion Tube Results - 2017

Site ID	NO <sub>2</sub> Mean Concentrations (µg/m <sup>3</sup> )												Annual Mean		
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Raw Data	Bias Adjusted (0.77) and Annualised <sup>(1)</sup>	Distance Corrected to Nearest Exposure <sup>(2)</sup>
HAR8	52.00	Missing	34.10	29.60	24.50	20.80	24.40	26.30	31.10	34.90	43.10	38.70	32.68	25.17	22.82
HAR9	52.30	44.60	41.50	35.90	27.50	26.40	30.00	34.20	34.50	42.60	48.90	48.90	38.94	29.99	23.49
HAR10	55.00	Missing	40.30	34.50	27.70	24.30	26.50	29.30	34.40	34.30	42.40	44.20	35.72	27.50	24.49
HAR11	55.30	38.10	41.60	41.30	37.20	30.30	31.90	33.60	35.70	37.00	43.10	39.60	38.73	29.82	24.08
HAR13	34.50	28.10	25.20	Missing	14.60	12.60	13.60	18.10	17.20	22.90	25.80	24.20	21.53	16.58	15.05
HAR15	49.40	39.10	36.50	28.10	25.80	26.50	24.10	30.50	31.30	33.00	43.30	38.90	33.88	26.08	19.00
HAR16	42.40	31.20	24.80	19.40	20.40	15.50	16.20	Missing	19.60	22.10	31.00	27.30	24.54	18.89	14.70
HAR17	52.40	38.80	38.80	34.40	28.60	22.40	22.80	25.10	30.00	33.30	42.70	35.80	33.76	25.99	25.99
HAR18	57.30	Missing	46.70	36.30	33.00	27.40	27.80	33.50	32.60	44.70	51.80	48.40	39.95	30.77	19.83

☒ National bias adjustment factor used

☒ Where applicable, data has been distance corrected for relevant exposure

**Notes:**

Exceedances of the NO<sub>2</sub> annual mean objective of 40µg/m<sup>3</sup> are shown in **bold**.

NO<sub>2</sub> annual means exceeding 60µg/m<sup>3</sup>, indicating a potential exceedance of the NO<sub>2</sub> 1-hour mean objective are shown in **bold and underlined**.

(1) See Appendix C for details on bias adjustment and annualisation.

(2) Distance corrected to nearest relevant public exposure.

## Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC

### Diffusion Tubes QA/QC

Harlow Council undertook monitoring at 9 nitrogen dioxide diffusion tubes sites in 2017.

The diffusion tubes were supplied by Environmental Scientifics Group (ESG Didcot) (UKAS Testing Laboratory number 1015) with a preparation method of 50% triethanolamine (TEA) in Acetone.

The AIR NO<sub>2</sub> proficiency testing scheme found that the laboratory achieved the following percentage of results determined as satisfactory for 2017:

**Table C.1 – AIR PT Results 2017**

AIR PT Round	AIR PT AR018	AIR PT AR019	AIR PT AR021	AIR PT AR022
Round conducted in the period	January – February 2017	April – May 2017	July – August 2017	September – October 2017
ESG Didcot	100%	100%	100%	100%

### Diffusion tube Bias Adjustment Factors

Harlow Council uses the national bias adjustment figure for calculating diffusion tubes results.

The Diffusion Tube Bias Adjustment Factors Spreadsheet 03/18 identified that for ESG (Didcot) 50% TEA in acetone diffusion tubes in 2017, a bias adjustment factor of 0.77 should be used. This was derived from orthogonal regression analysis of 27 studies.

### NO<sub>2</sub> Fall Off Estimation

Using the equation from the Bureau Veritas NO<sub>2</sub> Fall Off with Distance Calculator (version 4.2), a custom Excel spreadsheet has been developed to derive the NO<sub>2</sub> concentrations for multiple diffusion tubes from measured annual mean concentrations 2017 NO<sub>2</sub> background maps.

Estimated Annual Mean at Relevant Exposure:

=IF(AC>0,(((AB-AC)/(-0.5476\*LN(J)+2.7171))\*(-0.5476\*LN(H)+2.7171)+AC),"")

AB = Bias Adjusted Mean


AC = Annual Mean Background NO<sub>2</sub>

J = Distance: diffusion tube to kerb of nearest road (m)

H = Distance: relevant exposure to kerb of nearest road (m)

## Appendix D: Map(s) of Monitoring Locations and AQMAs

Figure D.1 – Diffusion Tube Monitoring Locations in Harlow



## Appendix E: Summary of Air Quality Objectives in England

Table E.2 – Air Quality Objectives in England

Pollutant	Air Quality Objective <sup>4</sup>	
	Concentration	Measured as
Nitrogen Dioxide (NO <sub>2</sub> )	200 µg/m <sup>3</sup> not to be exceeded more than 18 times a year	1-hour mean
	40 µg/m <sup>3</sup>	Annual mean
Particulate Matter (PM <sub>10</sub> )	50 µg/m <sup>3</sup> , not to be exceeded more than 35 times a year	24-hour mean
	40 µg/m <sup>3</sup>	Annual mean
Sulphur Dioxide (SO <sub>2</sub> )	350 µg/m <sup>3</sup> , not to be exceeded more than 24 times a year	1-hour mean
	125 µg/m <sup>3</sup> , not to be exceeded more than 3 times a year	24-hour mean
	266 µg/m <sup>3</sup> , not to be exceeded more than 35 times a year	15-minute mean

<sup>4</sup> The units are in microgrammes of pollutant per cubic metre of air (µg/m<sup>3</sup>).

## Glossary of Terms

Abbreviation	Description
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values'
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives
ASR	Air Quality Annual Status Report
Defra	Department for Environment, Food and Rural Affairs
EIA	Environmental Impact Assessments
EU	European Union
LAQM	Local Air Quality Management
NO <sub>2</sub>	Nitrogen Dioxide
PM <sub>2.5</sub>	Airborne particulate matter with an aerodynamic diameter of 2.5µm or less
QA/QC	Quality Assurance and Quality Control
SSSI	Site of Special Scientific Interest
TEA	Triethanolamine – substance used for absorbing nitrogen dioxide in diffusion tubes
UKAS	United Kingdom Accreditation Service

## References

Defra Diffusion Tube Bias Adjustment Factors Spreadsheet available at;

[https://laqm.defra.gov.uk/assets/Database\\_Diffusion\\_Tube\\_Bias\\_Factors\\_v03\\_18%20FINAL.xls](https://laqm.defra.gov.uk/assets/Database_Diffusion_Tube_Bias_Factors_v03_18%20FINAL.xls)

Defra LAQM Summary of Laboratory Performance in AIR NO<sub>2</sub> PT Scheme available at;

<https://laqm.defra.gov.uk/assets/AIR-PT-Rounds-13-to-24-Apr-2016-Feb-2018.pdf>

Defra LAQM Policy Guidance LAQM.PG16 available at;

<http://laqm.defra.gov.uk/documents/LAQM-PG16-April-16-v1.pdf>

Defra LAQM Technical Guidance LAQM.TG16 available at;

<http://laqm.defra.gov.uk/documents/LAQM-TG16-April-16-v1.pdf>

Defra NO<sub>2</sub> Background Maps available at; <https://uk-air.defra.gov.uk/data/laqm-background-maps?year=2015>

Essex Air Quality Consortium available at; <http://www.essexair.org.uk>

EssexCarShare.com available at; <https://essex.liftshare.com/>

Essex Air Twitter Feed available at; <https://twitter.com/essexair>

Essex County Council: Harlow Improvement Schemes available at;

<http://www.essexhighways.org/highway-schemes-and-developments/major-schemes.aspx>

Harlow Council 2017 Air Quality Annual Status Report available at;

[http://www.essexair.org.uk/Reports/Harlow\\_2017\\_ASR.pdf](http://www.essexair.org.uk/Reports/Harlow_2017_ASR.pdf)

Planning application for new junction 7a on M11 available at;

<https://planning.essex.gov.uk/planningapplication.aspx?AppNo=CC/EPF/08/17>

Proposal for new junction 7a on M11 available at; <http://www.essexhighways.org/Transport-and-Roads/Highway-Schemes-and-Developments/major-schemes/m11-junction-7a.aspx>

Public Health Outcomes Framework Indicator 3.01 available at; <http://www.phoutcomes.info/>

Standards for Highways Interim Advice Note Updated advice for evaluating significant local air quality effects for users of DMRB Volume 11, Section 3, Part 1 'Air Quality (HA207/07) available at; <http://www.standardsforhighways.co.uk/ha/standards/ians/pdfs/ian174.pdf>